

A person wearing a green Ironman t-shirt and white gloves is driving a green off-road vehicle on a dirt trail. The vehicle has a large Ironman logo on the side and the text 'IRONMAN' and 'www.ironman4x4.com'. The background shows a forest with trees and a dirt path.

UNLEASH THE  
**MONSTER**

ON YOUR NEXT  
ADVENTURE

**9500lb Monster Winch - Steel Cable (WWB9500)**

Power	12VDC
Motor	5.5HP / 4.1KW, Series Wound
Hand Control	Wireless Remote - Range 30.5m (100ft) Lead Remote - 3.6m (12ft) Lead
Gear Train	3 Stage Planetary
Gear Reduction Ratio	265:1
Brake	Automatic Cam lock (In Drum)
Cable	28m of 8.3mm Diameter (94ft of 3/8" Diameter)
Battery	650CCA - minimum for winching
Weight	N.W. 42kg (90lbs)

**OVERALL DIMENSIONS**

562mm (L) x 215mm (H) x 156mm (W)

**MOUNTING BOLT PATTERN**

254mm x 114.3mm



**9500lb Monster Winch - Synthetic Rope (WWB9500SR)**

Power	12VDC
Motor	5.5HP / 4.1KW, Series Wound
Hand Control	Wireless Remote - Range 30.5m (100ft) Lead Remote - 3.6m (12ft) Lead
Gear Train	3 Stage Planetary
Gear Reduction Ratio	265:1
Brake	Automatic Cam lock (In Drum)
Synthetic Rope	28m of 8mm Diameter
Battery	650CCA - minimum for winching
Weight	N.W. 28kg (62lbs)

**OVERALL DIMENSIONS**

562mm (L) x 215mm (H) x 156mm (W)

**MOUNTING BOLT PATTERN**

254mm x 114.3mm



**12000lb Monster Winch - Steel Cable (WWB12000)**

Power	12VDC
Motor	6.4HP / 4.5KW, Series Wound
Hand Control	Wireless Remote - Range 30.5m (100ft) Lead Remote - 3.6m (12ft) Lead
Gear Train	3 Stage Planetary
Gear Reduction Ratio	265:1
Brake	Automatic Cam lock (In Drum)
Cable	28m of 9.5mm Diameter (94ft of 3/8" Diameter)
Battery	650CCA - minimum for winching
Weight	N.W. 54kg (119lbs)

**OVERALL DIMENSIONS**

562mm (L) x 215mm (H) x 156mm (W)

**MOUNTING BOLT PATTERN**

254mm x 114.3mm



**12000lb Monster Winch - Synthetic Rope (WWB12000SR)**

Power	12VDC
Motor	6.4HP / 4.5KW, Series Wound
Hand Control	Wireless Remote - Range 30.5m (100ft) Lead Remote - 3.6m (12ft) Lead
Gear Train	3 Stage Planetary
Gear Reduction Ratio	265:1
Brake	Automatic Cam lock (In Drum)
Synthetic Rope	28m of 9mm Diameter
Battery	650CCA - minimum for winching
Weight	N.W. 29kg (64lbs)

**OVERALL DIMENSIONS**

562mm (L) x 215mm (H) x 156mm (W)

**MOUNTING BOLT PATTERN**

254mm x 114.3mm





A breather has been added to increase protection to the motor. The breather will allow the pressure to balance during hot, cold and wet times.



The breather fitting has been pre-fitted to the motor, follow the instructions to fit the hose and filter.



The winch now has an integrated cut off switch, either the wireless activator or the lead remote must be installed for the winch to work.



We have reduced the height of the clutch handle to allow ease of fitment. We have also pre-rotated the handle forward for ease of fitment in Ironman 4x4 bars.



A new control box design has been developed to incorporate branding as well as house an updated solenoid. The new solenoid has double the contact of the old one, maintaining pure voltage to the motor. This also dramatically improves the risk of getting hot and burning points.

We have even updated the housing to ensure it is better sealed. The cables to the winch motor terminals have also been lengthened by 200mm each. Easy mounting tabs to make the fitting time is reduced. All hardware has been supplied.



A new remote to incorporate wired and wireless has been released.

Also is a battery operated LED light for night winching.



The winches have undergone a total redesign, from new paint, new motor casings, end plates and logos, to internal seals, larger windings and the breather. New brace rods have been developed to add a larger footprint onto the feet casings to increase the hold strength. New internal spring brake system has been develop and installed. The gearbox has improved seals and previous mentions clutch handle. A full 32 page manual is now included.



We use only the best synthetic rope, imported from the Netherlands. This is the rope used on the Ironman 4x4 race truck.



A new hawse with the new black protective paint and Ironman 4x4 laser etching. Allen head bolts supplied for improved look and ease of fitting.



A new fairlead with new paint and also a new hammerlock style hook has been made for all models.



Moving away from the typical design, we have made a new shape and bright design to ensure maximum safety.