




## Stealth Camo

The hard wearing braided line, Stealth is pressure coated with Teflon®. A brand new camouflage pattern provides ultimate stealth. This line is the one for most angling conditions.

- Pe fiber construction
- New Camouflage pattern
- Extra Round profile
- Teflon® Pressure coated
- Extra Smooth and manageable



UPC	UPC	BARCODE	Ø mm	Weight	Length	Shop	User
1201198	022021225705		0.10mm	6.2kg	110 m / 125 yd		
1152380	022021570720		0.12mm	7.1kg	110 m / 125 yd		
1152381	022021570737		0.14mm	10.2kg	110 m / 125 yd		
1152382	022021570744		0.17mm	16.5kg	110 m / 125 yd		
1152383	022021570751		0.20mm	18kg	110 m / 125 yd		
1152384	022021570768		0.25mm	22.9kg	110 m / 125 yd		
1152385	022021570775		0.30mm	33.9kg	110 m / 125 yd		
1152386	022021570782		0.35mm	51.2kg	110 m / 125 yd		
1152387	022021570799		0.38mm	56.2kg	110 m / 125 yd		
1152388	022021570805		0.40mm	59.4kg	110 m / 125 yd		
1201200	022021225729		0.10mm	6.2kg	270 m / 300 yd		
1152389	022021570812		0.12mm	7.1kg	270 m / 300 yd		
1152390	022021570829		0.14mm	10.2kg	270 m / 300 yd		
1152391	022021570836		0.17mm	16.5kg	270 m / 300 yd		
1152392	022021570843		0.20mm	18kg	270 m / 300 yd		
1152393	022021570850		0.25mm	22.9kg	270 m / 300 yd		
1152394	022021570867		0.30mm	33.9kg	270 m / 300 yd		
1152395	022021570874		0.35mm	51.2kg	270 m / 300 yd		
1152396	022021570881		0.38mm	56.2kg	270 m / 300 yd		
1152397	022021570898		0.40mm	59.4kg	270 m / 300 yd		



## Stealth Camo (600m/1800m/3000m)

The hard wearing braided line, Stealth is pressure coated with Teflon®. A brand new camouflage pattern provides ultimate stealth. This line is the one for most angling conditions.

- Pe fiber construction
- New Camouflage patern
- Extra Round profile
- Teflon® Pressure coated
- Extra Smooth and manageable




		Camo							
	UPC	UPC	BARCODE	Ø mm					
NEW	1216095	022021580163		0.10mm	6.2kg	600 m / 660 yd	4		
NEW	1216096	022021580170		0.12mm	7.1kg	600 m / 660 yd	4		
NEW	1216097	022021580187		0.14mm	10,2kg	600 m / 660 yd	4		
NEW	1216098	022021580194		0.17mm	16.5kg	600 m / 660 yd	4		
NEW	1216099	022021580200		0.20mm	18kg	600 m / 660 yd	4		
NEW	1216100	022021580217		0.25mm	22.9kg	600 m / 660 yd	4		
NEW	1216101	022021580224		0.30mm	33.9kg	600 m / 660 yd	4		
NEW	1216102	022021580231		0.35mm	51.2kg	600 m / 660 yd	4		
NEW	1216103	022021580248		0.38mm	56.2kg	600 m / 660 yd	4		
NEW	1216104	022021580255		0.40mm	59.4kg	600 m / 660 yd	4		
	1201202	022021225743		0.10mm	6.2kg	1800 m / 2000 yd	1		
	1152398	022021570904		0.12mm	7.1kg	1800 m / 2000 yd	1		
	1152399	022021570911		0.14mm	10,2kg	1800 m / 2000 yd	1		
	1152400	022021570928		0.17mm	16.5kg	1800 m / 2000 yd	1		
	1152401	022021570935		0.20mm	18kg	1800 m / 2000 yd	1		
	1152402	022021570942		0.25mm	22.9kg	1800 m / 2000 yd	1		
	1152403	022021570959		0.30mm	33.9kg	1800 m / 2000 yd	1		
	1152404	022021570966		0.35mm	51.2kg	1800 m / 2000 yd	1		
	1152405	022021570973		0.38mm	56.2kg	1800 m / 2000 yd	1		
	1152406	022021570980		0.40mm	59.4kg	1800 m / 2000 yd	1		
NEW	1216105	022021580262		0.10mm	6.2kg	3000 m / 3300 yd	1		
NEW	1216106	022021580279		0.12mm	7.1kg	3000 m / 3300 yd	1		
NEW	1216107	022021580286		0.14mm	10,2kg	3000 m / 3300 yd	1		
NEW	1216108	022021580293		0.17mm	16.5kg	3000 m / 3300 yd	1		
NEW	1216109	022021580309		0.20mm	18kg	3000 m / 3300 yd	1		
NEW	1216110	022021580316		0.25mm	22.9kg	3000 m / 3300 yd	1		
NEW	1216111	022021580323		0.30mm	33.9kg	3000 m / 3300 yd	1		
NEW	1216112	022021580330		0.35mm	51.2kg	3000 m / 3300 yd	1		
NEW	1216113	022021580347		0.38mm	56.2kg	3000 m / 3300 yd	1		
NEW	1216114	022021580354		0.40mm	59.4kg	3000 m / 3300 yd	1		



# Stealth Code Red

The hard wearing braided line, Stealth is pressure coated with Teflon® and due to colour lock technology the Hi Vis Red colour will not come off. Red is a camouflage colour under water!

- Pe fiber construction.
- Colour locked Hi Vis Red colour.
- Extra Round profile.
- Teflon® Pressure coated
- Extra Smooth and manageable



WITH  
Dyneema®



	UPC	BARCODE	Ø mm						
1201204	022021225767		0.10mm	6.2kg	13lb	110 m / 125 yd	4		
1152353	022021570454		0.12mm	7.1kg	15lb	110 m / 125 yd	4		
1152354	022021570461		0.14mm	10.2kg	18lb	110 m / 125 yd	4		
1152355	022021570478		0.17mm	16.5kg	36lb	110 m / 125 yd	4		
1152356	022021570485		0.20mm	18kg	39lb	110 m / 125 yd	4		
1152357	022021570492		0.25mm	22.9kg	50lb	110 m / 125 yd	4		
1152358	022021570508		0.30mm	33.9kg	74lb	110 m / 125 yd	4		
1152359	022021570515		0.35mm	51.2kg	112lb	110 m / 125 yd	4		
1152360	022021570522		0.38mm	56.2kg	123lb	110 m / 125 yd	4		
1152361	022021570539		0.40mm	59.4kg	131lb	110 m / 125 yd	4		
1201206	022021225781		0.10mm	6.2kg	13lb	270 m / 300 yd	4		
1152362	022021570546		0.12mm	7.1kg	15lb	270 m / 300 yd	4		
1152363	022021570553		0.14mm	10.2kg	18lb	270 m / 300 yd	4		
1152364	022021570560		0.17mm	16.5kg	36lb	270 m / 300 yd	4		
1152365	022021570577		0.20mm	18kg	39lb	270 m / 300 yd	4		
1152366	022021570584		0.25mm	22.9kg	50lb	270 m / 300 yd	4		
1152367	022021570591		0.30mm	33.9kg	74lb	270 m / 300 yd	4		
1152368	022021570607		0.35mm	51.2kg	112lb	270 m / 300 yd	4		
1152369	022021570614		0.38mm	56.2kg	123lb	270 m / 300 yd	4		
1152370	022021570621		0.40mm	59.4kg	131lb	270 m / 300 yd	4		
NEW	1216075	022021579969	0.10mm	6.2kg	13lb	600 m / 660 yd	4		
NEW	1216076	022021579976	0.12mm	7.1kg	15lb	600 m / 660 yd	4		
NEW	1216077	022021579983	0.14mm	10.2kg	18lb	600 m / 660 yd	4		
NEW	1216078	022021579990	0.17mm	16.5kg	36lb	600 m / 660 yd	4		
NEW	1216079	022021580002	0.20mm	18kg	39lb	600 m / 660 yd	4		
NEW	1216080	022021580019	0.25mm	22.9kg	50lb	600 m / 660 yd	4		
NEW	1216081	022021580026	0.30mm	33.9kg	74lb	600 m / 660 yd	4		
NEW	1216082	022021580033	0.35mm	51.2kg	112lb	600 m / 660 yd	4		
NEW	1216083	022021580040	0.38mm	56.2kg	123lb	600 m / 660 yd	4		
NEW	1216084	022021580057	0.40mm	59.4kg	131lb	600 m / 660 yd	4		





## Stealth Code Red (1800m/3000m)

The hard wearing braided line, Stealth is pressure coated with Teflon® and due to colour lock technology the Hi Vis Red colour will not come off. Red is a camouflage colour under water!

- Pe fiber construction.
- Colour locked Hi Vis Red colour.
- Extra Round profile.
- Teflon® Pressure coated
- Extra Smooth and manageable



Red

	UPC	BARCODE	Ø mm		0 1 2		SHOP	
	1201208	022021225804		0.10mm	6.2kg	1800 m / 2000 yd	1	
	1152371	022021570638		0.12mm	7.1kg	1800 m / 2000 yd	1	
	1152372	022021570645		0.14mm	10,2kg	1800 m / 2000 yd	1	
	1152373	022021570652		0.17mm	16.5kg	1800 m / 2000 yd	1	
	1152374	022021570669		0.20mm	18kg	1800 m / 2000 yd	1	
	1152375	022021570676		0.25mm	22.9kg	1800 m / 2000 yd	1	
	1152376	022021570683		0.30mm	33.9kg	1800 m / 2000 yd	1	
	1152377	022021570690		0.35mm	51.2kg	1800 m / 2000 yd	1	
	1152378	022021570706		0.38mm	56.2kg	1800 m / 2000 yd	1	
	1152379	022021570713		0.40mm	59.4kg	1800 m / 2000 yd	1	
NEW	1216085	022021580064		0.10mm	6.2kg	3000 m / 3300 yd	1	
NEW	1216086	022021580071		0.12mm	7.1kg	3000 m / 3300 yd	1	
NEW	1216087	022021580088		0.14mm	10,2kg	3000 m / 3300 yd	1	
NEW	1216088	022021580095		0.17mm	16.5kg	3000 m / 3300 yd	1	
NEW	1216089	022021580101		0.20mm	18kg	3000 m / 3300 yd	1	
NEW	1216090	022021580118		0.25mm	22.9kg	3000 m / 3300 yd	1	
NEW	1216091	022021580125		0.30mm	33.9kg	3000 m / 3300 yd	1	
NEW	1216092	022021580132		0.35mm	51.2kg	3000 m / 3300 yd	1	
NEW	1216093	022021580149		0.38mm	56.2kg	3000 m / 3300 yd	1	
NEW	1216094	022021580156		0.40mm	59.4kg	3000 m / 3300 yd	1	



# Stealth Tracer Yellow

ALL STEALTH LINES HAVE ENHANCED COLOR AND CASTING TECHNOLOGY, this provides better colourfastness and easier and better casting with up to 15% improved distance.

- Pe fiber construction.
- Colour locked Hi Vis Red colour.
- Extra Round profile.
- Teflon® Pressure coated.
- Extra Smooth and manageable.



Yellow								
UPC	UPC	BARCODE	Ø mm					
1201188	022021225606		0.10mm	6,2kg	137 m / 150 yd	4		
1115215	022021551934		0.12mm	7,1kg	137 m / 150 yd	4		
1115216	022021551941		0.14mm	10,2kg	137 m / 150 yd	4		
1087210	022021526468		0.17mm	16,50kg	137 m / 150 yd	4		
1115217	022021551958		0.20mm	18,1kg	137 m / 150 yd	4		
1087212	022021526475		0.25mm	22,95kg	137 m / 150 yd	4		
1087213	022021526482		0.30mm	33,95kg	137 m / 150 yd	4		
1087214	022021526499		0.35mm	51,20kg	137 m / 150 yd	4		
1087215	022021526505		0.38mm	56,20kg	137 m / 150 yd	4		
1087216	022021526512		0.40mm	59,40kg	137 m / 150 yd	4		
NEW	1216055	022021579761	0.10mm	6,2kg	600 m / 660 yd	4		
NEW	1216056	022021579778	0.12mm	7,1kg	600 m / 660 yd	4		
NEW	1216057	022021579785	0.14mm	10,2kg	600 m / 660 yd	4		
NEW	1216058	022021579792	0.17mm	16,50kg	600 m / 660 yd	4		
NEW	1216059	022021579808	0.20mm	18,1kg	600 m / 660 yd	4		
NEW	1216060	022021579815	0.25mm	22,95kg	600 m / 660 yd	4		
NEW	1216061	022021579822	0.30mm	33,95kg	600 m / 660 yd	4		
NEW	1216062	022021579839	0.35mm	51,20kg	600 m / 660 yd	4		
NEW	1216063	022021579846	0.38mm	56,20kg	600 m / 660 yd	4		
NEW	1216064	022021579853	0.40mm	59,40kg	600 m / 660 yd	4		
1201190	022021225620		0.10mm	6,2kg	1800 m / 2000 yd	1		
1115239	022021552177		0.12mm	7,1kg	1800 m / 2000 yd	1		
1115240	022021552184		0.14mm	10,2kg	1800 m / 2000 yd	1		
1119193	022021553327		0.17mm	16,50kg	1800 m / 2000 yd	1		
1115241	022021552191		0.20mm	18,1kg	1800 m / 2000 yd	1		
1119195	022021553341		0.25mm	22,95kg	1800 m / 2000 yd	1		
1119196	022021553358		0.30mm	33,95kg	1800 m / 2000 yd	1		
1119197	022021553365		0.35mm	51,20kg	1800 m / 2000 yd	1		
1119198	022021553372		0.38mm	56,20kg	1800 m / 2000 yd	1		
1119199	022021553389		0.40mm	59,40kg	1800 m / 2000 yd	1		





## Stealth Yellow (3000m)



ALL STEALTH LINES HAVE ENHANCED COLOR AND CASTING TECHNOLOGY, this provides better colourfastnes and easier and better casting with up to 15% improved distance.

- Pe fiber construction.
- Colour locked Hi Vis Red colour.
- Extra Round profile.
- Teflon® Pressure coated.
- Extra Smooth and manageable.



Yellow

	UPC	BARCODE	Ø mm						
NEW	1216065	022021579860		0.10mm	6.2kg	3000 m / 3300 yd	1		
NEW	1216066	022021579877		0.12mm	7.1kg	3000 m / 3300 yd	1		
NEW	1216067	022021579884		0.14mm	10.2kg	3000 m / 3300 yd	1		
NEW	1216068	022021579891		0.17mm	16.5kg	3000 m / 3300 yd	1		
NEW	1216069	022021579907		0.20mm	18kg	3000 m / 3300 yd	1		
NEW	1216070	022021579914		0.25mm	22.9kg	3000 m / 3300 yd	1		
NEW	1216071	022021579921		0.30mm	33.9kg	3000 m / 3300 yd	1		
NEW	1216072	022021579938		0.35mm	51.2kg	3000 m / 3300 yd	1		
NEW	1216073	022021579945		0.38mm	56.2kg	3000 m / 3300 yd	1		
NEW	1216074	022021579952		0.40mm	59.4kg	3000 m / 3300 yd	1		






## Stealth Moss Green

ALL STEALTH LINES NOW HAVE ENHANCED COLOR AND CASTING TECHNOLOGY, this provides better colourfastnes and easier and better casting with up to 15% improved distan

- Pe fiber construction.
- Colour locked Hi Vis Red colour.
- Extra Round profile.
- Teflon® Pressure coated.
- Extra Smooth and manageable.



	UPC	BARCODE	Ø mm		0 1 2		SHOP	
1201192	022021225644		0,10mm	6,2kg	137 m / 150 yd	4		
1115227	022021552054		0,12mm	7,1kg	137 m / 150 yd	4		
1115228	022021552061		0,14mm	10,2kg	137 m / 150 yd	4		
1087217	022021526529		0,17mm	16,5kg	137 m / 150 yd	4		
1115229	022021552078		0,20mm	18kg	137 m / 150 yd	4		
1087218	022021526536		0,25mm	22,9kg	137 m / 150 yd	4		
1087219	022021526543		0,30mm	33,9kg	137 m / 150 yd	4		
1087220	022021526550		0,35mm	51,2kg	137 m / 150 yd	4		
1087221	022021526567		0,38mm	56,2kg	137 m / 150 yd	4		
1087222	022021526574		0,40mm	59,4kg	137 m / 150 yd	4		
1201194	022021225668		0,10mm	6,2kg	270 m / 300 yd	4		
1115230	022021552085		0,12mm	7,1kg	270 m / 300 yd	4		
1115231	022021552092		0,14mm	10,2kg	270 m / 300 yd	4		
1115233	022021552115		0,17mm	16,5kg	270 m / 300 yd	4		
1115232	022021552108		0,20mm	18,1kg	270 m / 300 yd	4		
1115234	022021552122		0,25mm	22,95kg	270 m / 300 yd	4		
1115235	022021552139		0,30mm	33,95kg	270 m / 300 yd	4		
1115236	022021552146		0,35mm	51,20kg	270 m / 300 yd	4		
1115237	022021552153		0,38mm	56,20kg	270 m / 300 yd	4		
1115238	022021552160		0,40mm	59,40kg	270 m / 300 yd	4		





## Stealth Moss Green (600m/1800m/3000m)

ALL STEALTH LINES NOW HAVE ENHANCED COLOR AND CASTING TECHNOLOGY, this provides better colourfastnes and easier and better casting with up to 15% improved distance

- Pe fiber construction.
- Colour locked Hi Vis Red colour.
- Extra Round profile.
- Teflon® Pressure coated.
- Extra Smooth and manageable.



Moss Green

	UPC	BARCODE	Ø mm					
NEW	1216115	022021580361	0.10mm	6.2kg	600 m / 660 yd	4		
NEW	1216116	022021580378	0.12mm	7.1kg	600 m / 660 yd	4		
NEW	1216117	022021580385	0.14mm	10,2kg	600 m / 660 yd	4		
NEW	1216118	022021580392	0.17mm	16.5kg	600 m / 660 yd	4		
NEW	1216119	022021580408	0.20mm	18kg	600 m / 660 yd	4		
NEW	1216120	022021580415	0.25mm	22.9kg	600 m / 660 yd	4		
NEW	1216121	022021580422	0.30mm	33.9kg	600 m / 660 yd	4		
NEW	1216122	022021580439	0.35mm	51.2kg	600 m / 660 yd	4		
NEW	1216123	022021580446	0.38mm	56.2kg	600 m / 660 yd	4		
NEW	1216124	022021580453	0.40mm	59.4kg	600 m / 660 yd	4		
	1201196	022021225682	0.10mm	6.2kg	1800 m / 2000 yd	1		
	1115242	022021552207	0.12mm	7,1kg	1800 m / 2000 yd	1		
	1115243	022021552214	0.14mm	10,2kg	1800 m / 2000 yd	1		
	1119202	022021553419	0.17mm	16,50kg	1800 m / 2000 yd	1		
	1115244	022021552221	0.20mm	18,1kg	1800 m / 2000 yd	1		
	1119204	022021553433	0.25mm	22,95kg	1800 m / 2000 yd	1		
	1119205	022021553440	0.30mm	33,95kg	1800 m / 2000 yd	1		
	1119206	022021553457	0.35mm	51,20kg	1800 m / 2000 yd	1		
	1119207	022021553464	0.38mm	56,20kg	1800 m / 2000 yd	1		
	1119208	022021553471	0.40mm	59,40kg	1800 m / 2000 yd	1		
NEW	1216125	022021580460	0.10mm	6.2kg	3000 m / 3300 yd	1		
NEW	1216126	022021580477	0.12mm	7,1kg	3000 m / 3300 yd	1		
NEW	1216127	022021580484	0.14mm	10,2kg	3000 m / 3300 yd	1		
NEW	1216128	022021580491	0.17mm	16.5kg	3000 m / 3300 yd	1		
NEW	1216129	022021580507	0.20mm	18kg	3000 m / 3300 yd	1		
NEW	1216130	022021580514	0.25mm	22.9kg	3000 m / 3300 yd	1		
NEW	1216131	022021580521	0.30mm	33.9kg	3000 m / 3300 yd	1		
NEW	1216132	022021580538	0.35mm	51.2kg	3000 m / 3300 yd	1		
NEW	1216133	022021580545	0.38mm	56.2kg	3000 m / 3300 yd	1		
NEW	1216134	022021580552	0.40mm	59.4kg	3000 m / 3300 yd	1		






## EZ Braid Lo vis Green

Unmatched value in a high tech superline.

Givin maximum strength and smoothness.

EZ casting line that is strong and thin.

- Super smooth.
- Dyneema fibres 3 times stronger than mono
- High sensitivity.
- Best Value for Money superline



WITH  
Dyneema®

Lo-Vis Green


	UPC	BARCODE	Ø mm					
1201507	022021995806		0,12mm	5,1kg	100 m / 110 yd	4		
1201508	022021995813		0,15mm	6,7kg	100 m / 110 yd	4		
1152326	022021570300		0.17mm	8.4kg	100 m / 110 yd	4		
1152327	022021570317		0.20mm	11.2kg	100 m / 110 yd	4		
1152328	022021570324		0.25mm	15.3kg	100 m / 110 yd	4		
1152329	022021570331		0.30mm	18.4kg	100 m / 110 yd	4		
1152330	022021570348		0.35mm	23.1kg	100 m / 110 yd	4		
1201509	022021995820		0,12mm	5,1kg	270 m / 300 yd	4		
1201510	022021995837		0,15mm	6,7kg	270 m / 300 yd	4		
1152331	022021570355		0.17mm	8.4kg	270 m / 300 yd	4		
1152332	022021570362		0.20mm	11.2kg	270 m / 300 yd	4		
1152333	022021570379		0.25mm	15.3kg	270 m / 300 yd	4		
1152334	022021570386		0.30mm	18.4kg	270 m / 300 yd	4		
1152335	022021570393		0.35mm	23.1kg	270 m / 300 yd	4		
1201511	022021995844		0,12mm	5,1kg	1800 m / 2000 yd	1		
1201512	022021995851		0,15mm	6,7kg	1800 m / 2000 yd	1		
1152336	022021570409		0.17mm	8.4kg	1800 m / 2000 yd	1		
1152337	022021570416		0.20mm	11.2kg	1800 m / 2000 yd	1		
1152338	022021570423		0.25mm	15.3kg	1800 m / 2000 yd	1		
1152339	022021570430		0.30mm	18.4kg	1800 m / 2000 yd	1		
1152340	022021570447		0.35mm	23.1kg	1800 m / 2000 yd	1		



## Invisi-Braid

Invisibraid casting better than before due to a improved coating.

- Improved casting performance
- Smoother
- more manageable
- More sensitive



WITH  
Dyneema®

Translucent

	UPC	BARCODE	Ø mm					
1135585	028632237557		0,12mm	9.1kg	110 m / 125 yd	4		
1135586	028632237564		0,14mm	12.7kg	110 m / 125 yd	4		
1135587	028632237571		0,17mm	18.1kg	110 m / 125 yd	4		
1135588	028632237588		0,20mm	20.7kg	110 m / 125 yd	4		
1135589	028632237595		0,25mm	25.8kg	110 m / 125 yd	4		
1135590	028632237601		0,30mm	30.6kg	110 m / 125 yd	4		
1135591	028632237618		0,35mm	36.5kg	110 m / 125 yd	4		
1135592	028632237625		0,12mm	9.1kg	270 m / 300 yd	4		
1135593	028632237632		0,14mm	12.7kg	270 m / 300 yd	4		
1135594	028632237649		0,17mm	18.1kg	270 m / 300 yd	4		
1135595	028632237656		0,20mm	20.7kg	270 m / 300 yd	4		
1135596	028632237663		0,25mm	25.8kg	270 m / 300 yd	4		
1135597	028632237670		0,30mm	30.6kg	270 m / 300 yd	4		
1135598	028632237687		0,35mm	36.5kg	270 m / 300 yd	4		
1135599	028632237694		0,12mm	9.1kg	1800 m / 2000 yd	1		
1135600	028632237700		0,14mm	12.7kg	1800 m / 2000 yd	1		
1135601	028632237717		0,17mm	18.1kg	1800 m / 2000 yd	1		
1135602	028632237724		0,20mm	20.7kg	1800 m / 2000 yd	1		
1135603	028632237731		0,25mm	25.8kg	1800 m / 2000 yd	1		
1135604	028632237748		0,30mm	30.6kg	1800 m / 2000 yd	1		
1135605	028632237755		0,35mm	36.5kg	1800 m / 2000 yd	1		





## UltraCast Hi-Vis Yellow

Special coating that makes Ultracast casting better than before. The biggest put ups are now 1800 meters/2000yds .

- Improved coating for better castability
- High color fastness
- Strength per diameter
- Manageability
- Ultra smooth surface



Hi-Vis Yellow

	UPC	BARCODE	Ø mm					
1135579	028632237496		0,12 mm	9,1kg	110 m / 125 yd	4		
1135580	028632237502		0,14 mm	12,7kg	110 m / 125 yd	4		
1127539	022021038008		0,17 mm	18,1kg	110 m / 125 yd	4		
1127540	022021038015		0,20mm	20,7kg	110 m / 125 yd	4		
1127541	022021038022		0,25 mm	25,8kg	110 m / 125 yd	4		
1127542	022021038039		0,28 mm	30,6kg	110 m / 125 yd	4		
1127543	022021038046		0,30 mm	36,5kg	110 m / 125 yd	4		
1135581	028632237519		0,12 mm	9,1kg	270 m / 300 yd	4		
1135582	028632237526		0,14 mm	12,7kg	270 m / 300 yd	4		
1127493	022021037858		0,17 mm	18,1kg	270 m / 300 yd	4		
1127494	022021037865		0,20 mm	20,7kg	270 m / 300 yd	4		
1127495	022021037872		0,25 mm	25,8kg	270 m / 300 yd	4		
1127496	022021037889		0,28 mm	30,6kg	270 m / 300 yd	4		
1127497	022021037896		0,30 mm	36,5kg	270 m / 300 yd	4		
1200512	022021574490		0,12 mm	9,1kg	1800 m / 2000 yd	1		
1200513	022021574506		0,14 mm	12,7kg	1800 m / 2000 yd	1		
1200514	022021574513		0,17 mm	18,1kg	1800 m / 2000 yd	1		
1200515	022021574520		0,20 mm	20,7kg	1800 m / 2000 yd	1		
1200516	022021574537		0,25 mm	25,8kg	1800 m / 2000 yd	1		
1200517	022021574544		0,28 mm	30,6kg	1800 m / 2000 yd	1		
1200518	022021574551		0,30 mm	36,5kg	1800 m / 2000 yd	1		





## UltraCast Lo-Vis Green

Special coating that makes Ultracast casting better than before. The biggest put ups are now 1800 m/2000 yd.

- Improved coating for better castability



Lo-Vis Green

	UPC	BARCODE	Ø mm					
1135573	028632237434		0,12 mm	9,1kg	110 m / 125 yd	4		
1135574	028632237441		0,14 mm	12,7kg	110 m / 125 yd	4		
1127483	022021037759		0,17 mm	18,1kg	110 m / 125 yd	4		
1127484	022021037766		0,20 mm	20,7kg	110 m / 125 yd	4		
1127485	022021037773		0,25 mm	25,8kg	110 m / 125 yd	4		
1127486	022021037780		0,28 mm	30,6kg	110 m / 125 yd	4		
1127487	022021037797		0,30 mm	36,5kg	110 m / 125 yd	4		
1135575	028632237458		0,12 mm	9,1kg	270 m / 300 yd	4		
1135576	028632237465		0,14 mm	12,7kg	270 m / 300 yd	4		
1127488	022021037803		0,17 mm	18,1kg	270 m / 300 yd	4		
1127489	022021037810		0,20 mm	20,7kg	270 m / 300 yd	4		
1127490	022021037827		0,25 mm	25,8kg	270 m / 300 yd	4		
1127491	022021037834		0,28 mm	30,6kg	270 m / 300 yd	4		
1127492	022021037841		0,30 mm	36,5kg	270 m / 300 yd	4		
1200465	022021574421		0,12 mm	9,1kg	1800 m / 2000 yd	1		
1200466	022021574438		0,14 mm	12,7kg	1800 m / 2000 yd	1		
1200467	022021574445		0,17 mm	18,1kg	1800 m / 2000 yd	1		
1200468	022021574452		0,20 mm	20,7kg	1800 m / 2000 yd	1		
1200509	022021574469		0,25 mm	25,8kg	1800 m / 2000 yd	1		
1200510	022021574476		0,28 mm	30,6kg	1800 m / 2000 yd	1		
1200511	022021574483		0,30 mm	36,5kg	1800 m / 2000 yd	1		



## Super Mono XXX

XXX is to become even stronger than before. A improved formula will provide more strength per diameter and a even higher Abrasion resistance. This makes XXX the strongest Mono in the range.

- Ultra High abrasion resistance
- Supreme linear and knotstrength
- Easy handling
- High shockresistance



Color	Clear	UPC	BARCODE	Ø mm	Weight	Length	Spools	Shop	Person
1120821	022021554423		0,16mm	2,9kg	300 m / 330 yd	4			
1120822	022021554430		0,19mm	4,5kg	300 m / 330 yd	4			
1120823	022021554447		0,22mm	5,6kg	300 m / 330 yd	4			
1120824	022021554454		0,24mm	6,3kg	300 m / 330 yd	4			
1120825	022021554461		0,27mm	10,2kg	300 m / 330 yd	4			
1120826	022021554478		0,31mm	10,3kg	300 m / 330 yd	4			
1120827	022021554485		0,34mm	11,6kg	300 m / 330 yd	4			
1120828	022021554492		0,37mm	15,1kg	300 m / 330 yd	4			

## SpiderWire Cap



Color	UPC	BARCODE	Weight	Length	Spools	Shop	Person
NEW 1220251	022021581399		SPIDERWIRE CAP AIRTECH	1 size fits all			



### ICONS DESCRIPTION



**INCREDIBLY STRONG**  
Three times stronger than mono



**EXCEPTIONALLY SMOOTH**  
Handles better than ordinary braids



**2 1/2' HI-VIS/2 1/2' LOW-VIS**  
5' Color breaks for accuracy and repeatability



**INCREDIBLY THIN DIAMETER**  
Unbelievable lure action and low visibility



**INCREDIBLE STRENGTH**  
PE Fibers are 3-4x stronger than mono



**EXCEPTIONALLY ROUND**  
Stacks better on a spool. Resists "dig-in"



**ULTRA-SENSITIVE**  
Telegraphic feel, immediate power for detecting strikes and slamming hooksets




**OUTSTANDING DURABILITY**  
Toughness and dependability in the roughest fishing conditions




**EXCEPTIONALLY SMOOTH**  
Outstanding for a wide variety of baits and techniques


### Improved Allbright Special




### Berkley Braid Knot




### Blood Knot




### Trilene knot




### Palomar Knot




### Spool Knot




### Crystal guideknot



### Stren Knot



### Uni Knot







A series of horizontal lines for writing notes, spanning the width of the page below the header.



### NOTE